

**From:** [Gary Moore](#)  
**To:** [Moore, Gary](#)  
**Subject:** Fwd: FJ Doyle Confirmation Sampling  
**Date:** Monday, November 26, 2018 8:32:46 PM  
**Attachments:** [ATT00001.txt](#)  
[FJDoyle\\_20181014-Backfill Results.xlsx](#)  
[FJDoyle\\_20181119-Confirmation.xlsx](#)

---

----- Forwarded message -----

**From:** **Lara, Alex** <[Alex.Lara@westonsolutions.com](mailto:Alex.Lara@westonsolutions.com)>  
**Date:** Mon, Nov 26, 2018 at 2:49 PM  
**Subject:** FJ Doyle Confirmation Sampling  
**To:** Gary Moore <[garywmoore1964@gmail.com](mailto:garywmoore1964@gmail.com)>, Don Edgington <[dwedgington@aol.com](mailto:dwedgington@aol.com)>, Delgado, Paige <[Delgado.Paige@epa.gov](mailto:Delgado.Paige@epa.gov)>

Everyone,

Attached is the results for our second sampling event “FJDoyle 20181119-Confirmation”, looks like we have two grids with PCB levels above 1 mg/kg, and several grids with Manganese levels above 1,800 mg/kg.

Also attached is the updated Backfill results compared to the EPA RSL levels. Arsenic again came above the RSL limit of 0.68 mg/kg.



**Alejandro Lara Jr.**

*Project Scientist – R6 START Team*

**Weston Solutions, Inc.**

2600 Dallas Pkwy Ste. 280

Frisco, TX 75034

956.466.2149 - cell

469.666.5534 - direct

[Alex.Lara@westonsolutions.com](mailto:Alex.Lara@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

The content image001.jpg of type has been blocked.